Brain Research, 633 (1994) 357–359
© 1994 Elsevier Science B.V. All rights reserved 0006-8993/94/$07.00

Author Index

Abramowicz, A.E., see Kass, I.S. (633) 262
Akil, H., see Trujillo, K.A. (633) 178
Allard, M., Jordan, D., Zajac, J.M., Ries, C., Martin, D., Monkouanga, D., Kopp, N. and Simonnet, G.
Autoradiographic localization of receptors for neuropeptide FF, FLFQPQR-Famide, in human spinal sensory system (633) 127
Allen, C.J., see Ghilardi, J.R. (633) 33
Alperina, E., see Devoino, L. (633) 267
Altar, C.A., see Siuciak, J.A. (633) 326
Amorim, P., see Kass, I.S. (633) 262
Angelucci, L., see Piovesan, P. (633) 77
Antel, J.P., see Noble, P.G. (633) 83
Arnolda, L., see Pilowsky, P. (633) 63
Asanuma, M., see Ogawa, N. (633) 167
Asin, K.E., see Wirtshafter, D. (633) 21
Azmitia, E.C., see Ueda, S. (633) 275
Azmitia, E.C., see Ueda, S. (633) 284

Beaujouan, J.-C., see Saffroy, M. (633) 317
Benvegnù, D., see Defazio, G. (633) 206
Björklund, A., see Nikkhah, G. (633) 133
Bondada, V., see Geddes, J.W. (633) 1
Bouchet, P., see Giard, M.-H. (633) 353
Brawer, J.R., Reichard, G., Small, L. and Schipper, H.M.
The origin and composition of peroxidase-positive granules in cysteamine-treated astrocytes in culture (633) 9
Breakwell, N.A. and Publicover, S.J.
Prolonged enhancement of synaptic transmission in area CA1 of rat hippocampal slices induced by $NaF/AlCl_3$ does not require NMDA receptor activation but is suppressed by inhibitors of phosphoinositide-mediated signalling pathways (633) 72
Brown, E.R., see Saporito, M.S. (633) 189
Brown, I.R., see Mendis, D.B. (633) 197

Cananzi, A.R., see Defazio, G. (633) 206
Carroll, P.T.
Membrane-bound choline-*O*-acetyltransferase in rat hippocampal tissue is associated with synaptic vesicles (633) 112
Carswell, S., see Saporito, M.S. (633) 189
Cassell, M.D., see Freedman, L.J. (633) 243
Chalmers, J., see Pilowsky, P. (633) 63
Chambers, G., see Kass, I.S. (633) 262
Cheido, M., see Devoino, L. (633) 267
Choi, D.W., see Regan, R.F. (633) 236
Chrousos, G.P., see Patchev, V.K. (633) 312
Collet, L., see Giard, M.-H. (633) 353
Cottrell, J.E., see Kass, I.S. (633) 262
Cowburn, R.F., Marcusson, J.O., Eriksson, A., Wiehager, B. and O'Neill, C.
Adenylyl cyclase activity and G-protein subunit levels in postmortem frontal cortex of suicide victims (633) 297
Cunningham, M.G., see Nikkhah, G. (633) 133

Defazio, G., Toso, R.D., Benvegnù, D., Minozzi, M.C., Cananzi, A.R. and Leon, A.
Parkinsonian serum carries complement-dependent toxicity for rat mesencephalic dopaminergic neurons in culture (633) 206
Devoino, L., Idova, G., Alperina, E. and Cheido, M.
Brain neuromediator systems in the immune response control: pharmacological analysis of pre- and postsynaptic mechanisms (633) 267
Downer, R.G.H., see Hiripi, L. (633) 119

Eriksson, A., see Cowburn, R.F. (633) 297
Erósteguí, C., see Soto, E. (633) 289

Flanagan, E.M., see Popovich, P.G. (633) 348
Flores, A., see Soto, E. (633) 289
François, C., Yelnik, J., Percheron, G. and Tandé, D.
Calbindin D-28k as a marker for the associative cortical territory of the striatum in macaque (633) 331
Freedman, L.J. and Cassell, M.D.
Distribution of dopaminergic fibers in the central division of the extended amygdala of the rat (633) 243

Garman, R.H., see Kofke, W.A. (633) 171
Gash, D.M., see Sakai, K. (633) 144
Geddes, J.W., Bondada, V. and Keller, J.N.
Effects of intrahippocampal colchicine administration on the levels and localization of microtubule-associated proteins, tau and MAP2 (633) 1
Ghadimi, B.M., Jarolimek, W. and Misgeld, U.
Effects of serotonin on hilar neurons and granule cell inhibition in the guinea pig hippocampal slice (633) 27
Ghilardi, J.R., Allen, C.J., Vigna, S.R., McVey, D.C. and Mantyh, P.W.
Cholecystokinin and neuropeptide Y receptors on single rabbit vagal afferent ganglion neurons: site of prejunctional modulation of visceral sensory neurons (633) 33
Giard, M.-H., Collet, L., Bouchet, P. and Pernier, J.
Auditory selective attention in the human cochlea (633) 353
Glowinski, J., see Saffroy, M. (633) 317
Goto, S., see Nagahiro, S. (633) 305
Grantyn, R., see Guenther, E. (633) 223
Gruol, D.L., see Meyer, J.H. (633) 253
Gu, X.F., see Ueda, S. (633) 275

Guenther, E., Rothe, T., Taschenberger, H. and Grantyn, R.
Separation of calcium currents in retinal ganglion cells from postnatal rat (633) 223
Gurd, J.W., see Mendis, D.B. (633) 197

Hartpence, K.C., see Saporito, M.S. (633) 189
Hashimoto, T., see Stork, O. (633) 213
Hirano, M., see Hondo, H. (633) 337
Hirata, H., see Ogawa, N. (633) 167
Hiripi, L., Juhos, S. and Downer, R.G.H.
Characterization of tyramine and octopamine receptors in the insect (*Locusta migratoria migratorioides*) brain (633) 119
Hondo, H., Yonezawa, Y., Nakahara, T., Nakamura, K., Hirano, M., Uchimura, H. and Tashiro, N.
Effect of phencyclidine on dopamine release in the rat prefrontal cortex; an in vivo microdialysis study (633) 337
Hou, X.P., see Ueda, S. (633) 284

Idova, G., see Devoino, L. (633) 267
Inglefield, J.R., Schwarzkopf, S.B. and Kellogg, C.K.
Alterations in behavioral responses to stressors following excitotoxin lesions of dorsomedial hypothalamic regions (633) 151

Janosky, J., see Kofke, W.A. (633) 171
Jarolimek, W., see Ghadimi, B.M. (633) 27
Jödicke, A., see Nikkhah, G. (633) 133
Jordan, D., see Allard, M. (633) 127
Juhos, S., see Hiripi, L. (633) 119

Kanazawa, I., see Ohki, Y. (633) 343
Karalis, K., see Patchev, V.K. (633) 312
Kass, I.S., Abramowicz, A.E., Cottrell, J.E., Amorim, P. and Chambers, G.
Anoxia reduces depolarization induced calcium uptake in the rat hippocampal slice (633) 262
Kaufman, C.M. and Menaker, M.
Ontogeny of light-induced Fos-like immunoreactivity in the hamster suprachiasmatic nucleus (633) 162
Keller, J.N., see Geddes, J.W. (633) 1
Kellogg, C.K., see Inglefield, J.R. (633) 151
Kerns, J.M., see Zhao, Q. (633) 97
Knappe, U., see Nikkhah, G. (633) 133
Kofke, W.A., Garman, R.H., Stiller, R., Rose, M. and Janosky, J.
Striatal extracellular dopamine levels are not increased by hyperglycemic exacerbation of ischemic brain damage in rats (633) 171
Koizumi, S., see Ochi, M. (633) 91
Kondo, Y., see Ogawa, N. (633) 167

Kopp, N., see Allard, M. (633) 127
Korematsu, K., see Nagahiro, S. (633) 305

Leon, A., see Defazio, G. (633) 206
Lindsay, R.M., see Siuciak, J.A. (633) 326
Lipski, J., see Pilowsky, P. (633) 63
Llewellyn-Smith, I.J., see Pilowsky, P. (633) 63
Lossinsky, A.S., see Pluta, R. (633) 41
Luo, R., see Schneiderman, J.H. (633) 105

Mantyh, P.W., see Ghilardi, J.R. (633) 33
Marcusson, J.O., see Cowburn, R.F. (633) 297
Martin, D., see Allard, M. (633) 127
McVey, D.C., see Ghilardi, J.R. (633) 33
Menaker, M., see Kaufman, C.M. (633) 162
Mendis, D.B., Shahin, S., Gurd, J.W. and Brown, I.R.
Developmental expression in the rat cerebellum of SC1, a putative brain extracellular matrix glycoprotein related to SPARC (633) 197
Meyer, J.H. and Gruol, D.L.
Dehydroepiandrosterone sulfate alters synaptic potentials in area CA1 of the hippocampal slice (633) 253
Minozzi, M.C., see Defazio, G. (633) 206
Minson, J., see Pilowsky, P. (633) 63
Misgeld, U., see Ghadimi, B.M. (633) 27
Monkouanga, D., see Allard, M. (633) 127
Mori, A., see Ogawa, N. (633) 167
Mossakowski, M.J., see Pluta, R. (633) 41

Nagahiro, S., Goto, S., Korematsu, K., Sumi, M., Takahashi, M. and Ushio, Y.
Disruption of the blood–cerebrospinal fluid barrier by transient cerebral ischemia (633) 305
Nakahara, T., see Hondo, H. (633) 337
Nakamura, K., see Hondo, H. (633) 337
Nakayama, N., see Ogawa, N. (633) 167
Naruse, I., see Ueda, S. (633) 275
Nikkhah, G., Cunningham, M.G., Jödicke, A., Knappe, U. and Björklund, A.
Improved graft survival and striatal reinnervation by microtransplantation of fetal nigral cell suspensions in the rat Parkinson model (633) 133
Noble, P.G., Antel, J.P. and Yong, V.W.
Astrocytes and catalase prevent the toxicity of catecholamines to oligodendrocytes (633) 83

Obata, K., see Stork, O. (633) 213
Ochi, M., Koizumi, S., Shibata, S. and Watanabe, S.
A facilitatory role of vasopressin in hypoxia/hypoglycemia-induced impairment of dopamine release from rat striatal slices (633) 91
Ogawa, N., Asanuma, M., Kondo, Y., Hirata, H., Nakayama, N. and Mori, A.
Effect of vagotomy on hyperactivity and increased dopamine turnover induced by intraperitoneal administration of thyrotropin-releasing hormone (633) 167
Ohki, Y., Suzuki, T., Ugawa, Y., Uesaka, Y., Sakai, K. and Kanazawa, I.
Excitation of the motor cortex associated with the E2 phase of cutaneous reflexes in man (633) 343
O'Neill, C., see Cowburn, R.F. (633) 297

Pacifici, L., see Piovesan, P. (633) 77
Paganetti, P. and Scheller, R.H.
Proteolytic processing of the *Aplysia* A peptide precursor in AtT-20 cells (633) 53
Patchev, V.K., Karalis, K. and Chrousos, G.P.
Effects of excitatory amino acid transmitters on hypothalamic corticotropin-releasing hormone (CRH) and arginine-vasopressin (AVP) release in vitro: implications in pituitary-adrenal regulation (633) 312
Percheron, G., see François, C. (633) 331
Pernier, J., see Giard, M.-H. (633) 353
Petitet, F., see Saffroy, M. (633) 317
Pilowsky, P., Llewellyn-Smith, I.J., Lipski, J., Minson, J., Arnolda, L. and Chalmers, J.
Projections from inspiratory neurons of the ventral respiratory group to the subretrofacial nucleus of the cat (633) 63
Piovesan, P., Pacifici, L., Taglialatela, G., Ramacci, M.T. and Angelucci, L.
Acetyl-L-carnitine treatment increases choline acetyltransferase activity and NGF levels in the CNS of adult rats following total fimbria–fornix transection (633) 77
Pitzer, M.R., see Wirtshafter, D. (633) 21
Pluta, R., Lossinsky, A.S., Wiśniewski, H.M. and Mossakowski, M.J.
Early blood–brain barrier changes in the rat following transient complete cerebral ischemia induced by cardiac arrest (633) 41
Popovich, P.G., Reinhard Jr., J.F., Flanagan, E.M. and Stokes, B.T.
Elevation of the neurotoxin quinolinic acid occurs following spinal cord trauma (633) 348
Publicover, S.J., see Breakwell, N.A. (633) 72

Ramacci, M.T., see Piovesan, P. (633) 77
Regan, R.F. and Choi, D.W.
The effect of NMDA, AMPA/kainate, and calcium channel antagonists on traumatic cortical neuronal injury in culture (633) 236
Reichard, G., see Brawer, J.R. (633) 9
Reinhard Jr., J.F., see Popovich, P.G. (633) 348
Ries, C., see Allard, M. (633) 127
Rose, M., see Kofke, W.A. (633) 171
Rothe, T., see Guenther, E. (633) 223

Saffroy, M., Beaujouan, J.-C., Petitet, F., Torrens, Y. and Glowinski, J.
Differential localization of ^{3}H-[Pro^{9}]SP binding sites in the guinea pig and rat brain (633) 317
Sakai, K. and Gash, D.M.
Effect of bilateral 6-OHDA lesions of the substantia nigra on locomotor activity in the rat (633) 144
Sakai, K., see Ohki, Y. (633) 343
Saporito, M.S., Brown, E.R., Hartpence, K.C., Wilcox, H.M., Vaught, J.L. and Carswell, S.
Chronic 1,25-dihydroxyvitamin D_3-mediated induction of nerve growth factor mRNA and protein in L929 fibroblasts and in adult rat brain (633) 189
Scheller, R.H., see Paganetti, P. (633) 53
Schipper, H.M., see Brawer, J.R. (633) 9
Schneiderman, J.H., Sterling, C.A. and Luo, R.
The role of excitatory amino acids in the generation of spontaneous hippocampal oscillations (633) 105
Schwarzkopf, S.B., see Inglefield, J.R. (633) 151
Shahin, S., see Mendis, D.B. (633) 197
Shibata, S., see Ochi, M. (633) 91
Simonnet, G., see Allard, M. (633) 127
Siuciak, J.A., Altar, C.A., Wiegand, S.J. and Lindsay, R.M.
Antinociceptive effect of brain-derived neurotrophic factor and neurotrophin-3 (633) 326
Small, L., see Brawer, J.R. (633) 9
Soto, E., Flores, A., Eróstegui, C. and Vega, R.
Evidence for NMDA receptor in the afferent synaptic transmission of the vestibular system (633) 289
Sterling, C.A., see Schneiderman, J.H. (633) 105
Stiller, R., see Kofke, W.A. (633) 171
Stokes, B.T., see Popovich, P.G. (633) 348
Stork, O., Hashimoto, T. and Obata, K.
Haloperidol activates tyrosine hydroxylase gene-expression in the rat substantia nigra, pars reticulata (633) 213
Sumi, M., see Nagahiro, S. (633) 305
Suzuki, T., see Ohki, Y. (633) 343

Taglialatela, G., see Piovesan, P. (633) 77
Takahashi, M., see Nagahiro, S. (633) 305
Tandé, D., see François, C. (633) 331
Taschenberger, H., see Guenther, E. (633) 223
Tashiro, N., see Hondo, H. (633) 337
Torrens, Y., see Saffroy, M. (633) 317
Toso, R.D., see Defazio, G. (633) 206
Trujillo, K.A. and Akil, H.
Inhibition of opiate tolerance by non-competitive *N*-methyl-D-aspartate receptor antagonists (633) 178

Uchimura, H., see Hondo, H. (633) 337
Ueda, S., Gu, X.F., Whitaker-Azmitia, P.M., Naruse, I. and Azmitia, E.C.
Neuro–glial neurotrophic interaction in the S-100β retarded mutant mouse (Polydactyly Nagoya). I. Immunocytochemical and neurochemical studies (633) 275
Ueda, S., Hou, X.P., Whitaker-Azmitia, P.M. and Azmitia, E.C.

Neuro–glial neurotrophic interaction in the S-100β retarded mutant mouse (Polydactyly Nagoya). II. Co-cultures study (633) 284
Uesaka, Y., see Ohki, Y. (633) 343
Ugawa, Y., see Ohki, Y. (633) 343
Ushio, Y., see Nagahiro, S. (633) 305

Vaught, J.L., see Saporito, M.S. (633) 189
Vega, R., see Soto, E. (633) 289
Vigna, S.R., see Ghilardi, J.R. (633) 33

Watanabe, S., see Ochi, M. (633) 91
Whitaker-Azmitia, P.M., see Ueda, S. (633) 275
Whitaker-Azmitia, P.M., see Ueda, S. (633) 284
Wiegand, S.J., see Siuciak, J.A. (633) 326
Wiehager, B., see Cowburn, R.F. (633) 297
Wilcox, H.M., see Saporito, M.S. (633) 189
Wirtshafter, D., Asin, K.E. and Pitzer, M.R. Dopamine agonists and stress produce different patterns of Fos-like immunoreactivity in the lateral habenula (633) 21
Wiśniewski, H.M., see Pluta, R. (633) 41

Yelnik, J., see François, C. (633) 331
Yonezawa, Y., see Hondo, H. (633) 337
Yong, V.W., see Noble, P.G. (633) 83

Zajac, J.M., see Allard, M. (633) 127
Zhao, Q. and Kerns, J.M. Effects of predegeneration on nerve regeneration through silicone Y-chambers (633) 97